

#DIESIS AUDIO

OFFICIAL RETAIL PRICE

VAT EXCLUDED

DIESIS LOUDSPEAKERS

ROMA TRIODE

Roma triode € 150.000,00 VAT excluded

Custom finishes

Listen to a speaker Diesis Audio sound with an indirectly heated triode is a unique experience, They come from the huge passion for listening to music as a real event. We work to eliminate the artifacts and the colours of traditional loudspeakers and reach the highest purity of issue making listening to any song pure emotion. In addition to innovative techniques the simplicity, the absolute quality of the transducers of the project and of the materials used precious quality that arises from prolonged sessions of listening and refinement that go on for years experience. The study of various materials that the delicate music signal crosses before propagating a note in the air allows us to tune each speaker to convey in every situation a passion out of the ordinary by giving life to everything that occurs to the listener.

Rome triode, last extraordinary accomplishment, incorporates everything and goes even further, the result of 3 years of work to embed in it a DNA of pure magic, assisted by the most prestigious triode mono amplifiers in the world has been sewn tailored to seize every more subtle nuance and detail whispered by these wonderful amplifications. Every element of the project was gutted tried and agreed by ear, compared with the best passive components we finally opted for the realization of even the most insignificant element, even the correct direction of each component is been identified after careful and critical plays. Rome Triode has been refined in the last year with the prestigious Japanese Amplifications Kondo.

Ongaku, G70 preamplifier and wiring entirely Kondo,

The emotional expression of these wonderful items for music playback is enhanced by the ease with which the speakers let themselves go through invoking the vibrations of pure emotion, reaching a magic with such a synergy that cannot be write words.

To listen, to Emotions. Strong.

Some specific Diesis Rome Triode:

(All components were built by hand on specific for this model):

-Low Section 2 15-inch Woofer With dipole Downs anchored with brass plate Totalfix system damped. Alnico magnet damped with wool and shielded. Silver 24 ohm coil Cellulose Cone and membrane in cotton for extreme lightweight.

-Supporting Structure in Clad 58 (Cement, Resins,mineral powders) damped with 4 different types of materials (brass, ebony wood, pure wool and leather)

-Horn in ebony wood, aluminum support dug from solid dulled brass with Cork-based docking and decoupled with accessories in Alphagel and Corian

-Mid Section 2 inch medium with paper and solid brass ring full damped with pure wool and casing in solid walnut Italian carved from solid.

-Hig Section TW titanium 16 mm voice coil, Solid brass trumpet.

Crossovers Components wired in resin air in special Italian carved from solid walnut shells for a total absence of vibrations.

Electrical feuters

Minimum impedance 10 ohm / 98,5 sensitivity, +/- 3 db 2.83 V/M / Minimum power 8 watt / Power 150 watt

Frequency response in environment from 27 to 40000Hz a +/-3db



ROMA

Roma White or Black (pair) € 80.000,00 VAT excluded

(standard Wooden Box)
(Flight Case Box optional € 800,00)

Roma Real Wood Panel (pair) € 84.000,00 VAT excluded

(standard Wooden Box)

Roma Special edition (pair) € 95.000,00 VAT excluded

Real Wood Panels and Horn Real Skyn manual cutting, big feet in multiple materials (standard Flight. Case Box)



3-way system with four speakers and super Tw
15 inch paper woofer less loaded dipole Top
15 inch paper woofer loaded dipole

Coax compression driver consists of:

Mid range from 90 mm

High range from 45 mm

S.Tw. from 16 mm

Sensitivity 98.5 db/2, 83V/M

Impedance 6 ohms nominal

Frequency response 30 Hz to 38,000 in environment from +/-3 db

Frequency response in environment from 25 to 45000 Hz +/- 8 db

Min output 20 watts

Max power 400 watts

Crossover frequency 120-500-6500 and 20000 Hz

Note: the Tw (high-range) frequency is not cut, but now there is the S.Tw for the frequencies in excess of 20000 Hz to give the system more airiness and detail without affecting the harmonic structure of the signal.

MID range level control via resistors inserted:-1.5 db/db/+1 0, 5db/+3 db

Level control HIGH range by inserted:-1.5 db/db/+1 0, 5db/+ 3db

Possibility to control separately with separate bottom Woofer masses (8 ohms)

The Upper Woofer (8 ohms) medium to high section (8 ohms)

Maximum dimensions L.512 mm P. 365mm, H 1370mm

Weight 115 Kg

CAPUT MUNDI



Caput Mundi White or Black (pair) € 48.500,00 VAT excluded

(Standard Wooden box)

(Flight Case Box optional € 800,00)

Caput Real Wood Panel (pair) € 51.500,00 VAT excluded

(Standard Wooden box)

Caput mundi Special edition (pair) € 55.000,00 VAT excluded

Real wood panels and horn, big feet in multiple materials

(Standard Flight Box)

3,5 way system and 4 speakers

2 paper woofers 12 inch dipole loaded

Crossover frequency 150, 600, 6500 Hz

Frequency response in environment from 40 – 25000 +/- 3 dB

Sensitivity 97 db 2.83 V/M

Nominal impedance 6 Ohms

Max power 250 watt

Dimension (mm) 1370 x 512 x 365 Weight 110 kg

Pilotabile in biwiring e in biamping Bearing frame Clad 58 produced on specific Diesis Audio (material composed of mineral powders, cement and special resins) cast in one mould Trumpet in Corian®

Totalfix proprietary system for fixing the woofer

Cross-over hard wired with high-quality components treated with dielectric resins to military standards

Removable front panel and trumpet to allow editing of the aesthetics of the speaker in order to customize its inclusion in environment.

AURA

Aura white or black (pair) € 24.800,00 VAT excluded

(Standard Wooden Box)

(Optional Flight Case Box € 600,00)

Aura Real Wood Panels (pair) € 26.500,00 VAT excluded

(Standard Flight Case Box)



Dipole loaded Woofer
WF 12 inch lower in paper
WF 10 inch paper top

Compression driver from 45 mm exponential horn loaded on specific Diesis Audio Sensitivity 93 db 2.83 V/M

Nominal impedance 6 Ohms

Frequency response in environment from 42 to 23000 hz +/-3 db

Frequency response in environment from 32 to 28000 hz +/-8 db

Minimum power 20 watts RMS

Max power 195 watts RMS

Acoustic crossovers to 200 and 1800 Hz

Possibility to control separately with separate masses the wf less (8 Ohms) to the other speakers (8 ohms)

Maximum dimensions width cm Height cm depth cm 30, 41, 114 (single speaker)

Weight 55 kg

* Bearing frame Clad 58 produced on specific Diesis Audio (material composed of mineral powders, cement and special resins) cast in one mould

Trumpet by one inch fiberglass and abs made about specific

Totalfix proprietary system for fixing the woofer

Cross-over hard wired with high-quality components treated with dielectric resins to military standards

Removable front panel and trumpet to allow editing of the aesthetics of the speaker in order to customize its inclusion in environment

LUDOS

Ludos white or black (pair) € 18.400,00 VAT excluded

(Standard Wooden Box)

(Optional Flight Case Box €600,00)

Ludos Real Wooden Panels (pair) € 19.800,00 VAT excluded

Ludos Real Wooden and Horn (pair) 21.450,00 VAT excluded

(Standard Flight Case)



2.5 way system with 3 speakers
Two dipole loaded woofers 10 inch

Compression driver from 45 mm exponential horn loaded on specific Dlesis Audio Sensitivity 91 db 2.83 V/M

Nominal impedance 6 Ohms

Frequency response in environment from 37 a 26.000 hz a +/- 8 db Minimum power 10 watts RMS

Max power 130 watts RMS

Acoustic crossovers to 180 Hz and 2000 Hz

Maximum dimensions width cm Height cm depth cm 32,8, 28,9, 104,2 (single speaker)

Weight 47 kg

* Bearing frame Clad 58 produced on specific Dlesis Audio (material composed of mineral powders, cement and special resins) cast in one mould

Trumpet by one inch fiberglass and abs made about specific

Totalfix proprietary system for fixing the woofer

Cross-over hard wired with high-quality components treated with dielectric resins to military standards

Removable front panel and trumpet to allow editing of the aesthetics of the speaker in order to customize its inclusion in environment.

BONHAM TRIBUTE

Bonham Tribute White or Black € 9.000,00 (each)

VAT excluded

(Standard Wooden Box)

(Optional Flight Case Box €400,00)

Bonham Tribute Real Wood Panels € 11.000,00 VAT excluded

(Standard Flight Case Box)



Subwoofer 21 inch paper and cloth suspension, with circular structure on the cancellation of the resonances, 4 separate rooms reinforced. Loading dipole for a quick response and outstanding damping.

BONHAM CROSSOVER

Bonham Crossover € 3.500,00 (each) VAT excluded


Cross-over low pass totally separate discrete adjustable from 25 Hz to 55 Hz in steps of 5 (other cuts on request) with reinforcements excludable, 0/180 phase inversion and volume control with potentiometer.

INTEGRATED AMPLIFIER

EVENTO 20-11

Version line input € 19.800,00 VAT excluded

Everything in the Event 20-11 from Diesis Audio is uncompromising, starting from the preamp stage which is equipped with two E88CC new old stock individually selected and matched so as to be able to offer a degree of musicality that is difficult to obtain with modern production tubes. In the power stage the oversized dimensions of the power supply and capacitors allow for delivery of 105 Watts at 8 ohms with high current capability able to easily drive the Diesis range of speakers and many others. The best in components such as the extraordinary custom capacitors 140000 Total Mf. The transformer is oversized and artisanal-made to our specifications, the cabinet is amagnetic and anti-resonant in CORIAN and the remote is brushed aluminum.



REFERENCE DIESIS CABLES BY KURO

Iperconductor reference line pure silver and gold cable RCA

€ 9.000,00 (1.50 Meter) VAT excluded

Reference interconnetion line, LIMITED EDITION
Pure silver conducrcors realized by our specification
CUSTOM Cryogenic treatment of wires.
Customization of the internal geometry according to the length of the cable. High level of mechanical insulation of the wires with amorphous materials
High degree of insulation RFI/EMI with a different layers of mumetal shielding
Exclusive and proprietary RCA plug realized in pure copper and exclusive non-magnetic stainless steel R.303

Iperconductor reference line pure silver and gold cable XLR

€ 10.500,00 (1.50 Meter) VAT excluded

Reference interconnetion line, LIMITED EDITION
Pure silver conducrcors realized by our specification
CUSTOM Cryogenic treatment of wires. Customization of the internal geometry according to the length of the cable.
High level of mechanical insulation of the wires with amorphous materials
High degree of insulation RFI/EMI with a different layers of mumetal shielding
Exclusive and proprietary RCA plug realized in pure copper and exclusive non-magnetic stainless steel R.303

Iperconductor reference power L cord line

€ 6.000,00 (2.0 Meter) VAT excluded

Reference power cord, LIMITED EDITION Pure silver conductors realized by our specification
Custom Cryogenic treatment of wires.

Customization of the internal geometry according to the length of the cable

High level of mechanical insulation of the wires with amorphous materials High degree of insulation
RFI/EMI with a different layers of mumetal shielding

Exclusive and proprietary RCA plug realized in pure copper and exclusive non-magnetic stainless steel
R.303

Iperconductor reference pure silver and gold speaker cable

€ 14.500,00 (3.0 Meter) VAT excluded

+ € 10.000,00 Diesis Bi-Wiring system. (It consist in another separate cable dedicated for high-frequency)

Speakers interconnections, LIMITED EDITION

Pure silver conductors realized by our specification


CUSTOM Cryogenic treatment of wires

Customization of the internal geometry according to the length of the cable

High degree of insulation RFI/EMI with a different layers of mumetal shielding

Exclusive Spades plug realized in pure copper with pure silver high grade of treatment or rhodium

Is possible realize custom speaker cables for multi wire system



DIESIS AUDIO

www.diesisaudio.com
info@diesisaudio.com